



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/910,392	07/20/2001	Sanjay L. Patil	54933US008	1684

32692 7590 05/29/2003

3M INNOVATIVE PROPERTIES COMPANY
PO BOX 33427
ST. PAUL, MN 55133-3427

EXAMINER

GOLDBERG, JEANINE ANNE

ART UNIT	PAPER NUMBER
----------	--------------

1634

DATE MAILED: 05/29/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Notice of Allowability

Application No.

09/910,392

Examiner

Jeanine A Goldberg

Applicant(s)

PATIL ET AL.

Art Unit

1634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/13/03; 2/25/03.
2. ☒ The allowed claim(s) is/are 32-40 and 68-70.
3. ☒ The drawings filed on 20 July 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
5. ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the top margin (not the back) of each sheet. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____ |
| 5 <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. <u>0701</u> . | 6 <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Chris Gram on February 25, 2003.
3. The application has been amended as follows:
 - A) Claim 32 has been amended to recited
 - - 32. An array comprising:
 - a polymeric substrate comprising a relaxed oriented film or a relaxed elastomeric material, the substrate having a surface;
 - a mask layer on said surface, the mask layer comprising ink and linking agents wherein the mask layer has a projected surface area and a topographical surface area wherein the topographical surface area is greater than the projected surface area;
 - and at least one reactant affixed to one or more binding sites within the mask layer. - -
 - B) In Claims 33-40, 64: delete "article" and replace therefore, - - array - - .
 - C) Claims 64, 67 have been cancelled.
 - D) Claims 68-70 have been amended to delete "67" and replace the dependencies with - - 32 - - .

REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance.

The claims are drawn to an array comprising a polymeric substrate comprising a relaxed oriented film or a relaxed elastomeric material, the substrate having a surface; a mask layer on said surface comprising ink and linking agents wherein the mask layer has a projected surface area and at least one reactant affixed to one or more binding sites within the mask layer. It is noted that reactant is clearly defined in the specification as any chemical molecule, compound, composition or complex, either naturally occurring or synthesized, that is capable of binding an analyte in a sample of interest either alone or in conjunction with a molecule or compound that assists in bind the analyte to the substrate (page 7, lines 19-29). The specification provides several examples of reactants which include amino acids and nucleic acids.

The art does not teach an array comprising a mask layer which has a projected surface area smaller than the topographical surface area. The art does not teach an array in which the surface contains undulations which increase the surface area.

In view of applicant's amendments to the claims and the filing of a terminal disclaimer, the claims are allowable.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1634

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Jeanine Goldberg whose telephone number is (703) 306-5817. The examiner can normally be reached Monday-Friday from 8:00 a.m. to 5:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones, can be reached on (703) 308-1152. The fax number for this Group is (703) 305- 3014.

Any inquiry of a general nature should be directed to the Group receptionist whose telephone number is (703) 308-0196.

J. Goldberg
Jeanine Goldberg
March 19, 2003

Gary Benzion
GARY BENZION, PH.D
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600